IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of

LAGRANGE et al. Attv. Ref.: 839-1383

Patent No. 7,905,709

Issued: Mar. 15, 2011

For: ADVANCED FIRTREE AND BROACH SLOT FORMS

FOR TURBINE STAGE 1 AND 2 BUCKETS AND ROTOR

WHEELS

* * * * * * * * *

April 6, 2011

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

REQUEST FOR A CERTIFICATE OF CORRECTION

The patentee in the above-identified patent hereby requests that the Patent and Trademark Office issue an official Certificate of Correction pursuant to 37 C.F.R. § 1.322 for the following minor typographical error made by the Patent Office.

 $\label{local_continuous} Column~6, line~17~(application~paragraph~[0050]~at~page~15, line~6), ``L_{11}$ \\ measures" should read --L_{10}~measures--.$

Since the error arose on the part of the Patent and Trademark Office, no fee is believed necessary for securing issuance of the Certificate.

Attached hereto is a draft Official Certificate of Correction for use by the Patent and Trademark Office correcting the above-identified matter.

LAGRANGE et al. Patent No. 7,905,709

The Commissioner is hereby authorized to charge any deficiency in the fee(s)

filed, or asserted to be filed, or which should have been filed herewith (or with any paper

hereafter filed in this application by this firm) to our Account No. 14-1140.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: /Chris Comuntzis/

Chris Comuntzis Reg. No. 31,097

CC:lmm 901 North Glebe Road, 11th Floor Arlington, VA 22203-1808 Telephone: (703) 816-4000 Facsimile: (703) 816-4100 Staple Here Only!

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,905,709 DATED : Mar. 15, 2011 INVENTOR(S) : LAGRANGE et al.

> It is certified that error appears in the above-identified patent and that said letters patent is hereby corrected as shown below:

At column 6, line 17, delete "L11 measures" and insert -L10 measures-

MAILING ADDRESS OF SENDER:

PATENT NO.

7.905.709

No. of addi

@ 50 per page

Chris Comuntzis NIXON & VANDERHYE P.C. 901 North Glebe Road, 11th Floor Arlington, Virginia 22203